

**SHEET 1 OF 11** 

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	10/585,841	
Filing Date	July 12, 2006	
First Named Inventor	C.S. Thummel	
Group Art Unit	1635	
Examiner Name	Unassigned	

		U.S. PATE	NT DOCUMENTS				
Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Sub- class	Filing Date
	B1.	3,687,808	08-29- 1972	Merrigan et al.			08-14-1969

#### FOREIGN PATENT DOCUMENTS Foreign Patent Cite **Translation** Examiner's **Document** Name Date Yes/No **Initials** No. **Country Code-**Number-Kind Code B2. 03-05-1992 Yale University Yes WO 92/03566 WO 93/22434 11-11-1993 Yale University Yes B3.

	B4.	WO 95/024489	09-14-1995	Yale University	Yes
	Non-Patent Documents				
Examiner's	Cite		Non-Pate	ent Citations	
Initials	No.	(include Author	, Title, Publisher, Rele	vant Pages, Date and Place of	Publication)
	B5.	Adams MD, Celn	iker SE, Holt RA, E	Evans CA, Gocayne JD, et	al. (2000) The
	ъэ.	genome sequence	of Drosophila mela	mogaster. Science, 287(54	61): 2185-95.
		Andres AJ, Fletcher JC, Karim FD, Thummel CS. (1993) Molecular analysis			
	B6. of the initiation of insect metamorphosis: a comparative study of Drosophila			of Drosophila	
		ecdysteroid-regulated transcription. Dev. Biol., 160(2): 388-404.			4.
		Antoniewski C, Laval M, Dahan A, Lepesant JA. (1994) The ecdysone			-
	B7.	•	1 0	of Drosophila melanogaste	
		target for the EcR/USP nuclear receptor. Mol. Cell. Biol., 14(7): 4465-74.			
	B8.	Arbeitman MN, Hogness DS. (200) Molecular chaperones activate the			vate the
Drosophila ecdysone receptor, an RXR heterodimer. Cell, 101(1):			1): 67-77.		
		Askew B, Ballester P, Buhr C, Jeong KS, Jones S, Parris K, Williams K,			lliams K,
	B9.	Rebek J. (1989) N	Molecular recognition	on with convergent function	nal groups.
	D9.	VI. Synthetic and	structural studies w	rith a model receptor for n	ucleic acid
		components. J. Am. Chem. Soc., 111(3): 1082-90.  Ayer S, Walker N, Mosammaparast M, Nelson JP, Shilo BZ, Benyajati C.			
					enyajati C.
	B10.	, , ,	_	Orosophila alcohol dehydro	•
	טוע.	transcription by to	wo steroid hormone	receptor superfamily men	nbers binding
to a common response element. Nucleic Acids Res., 21(7): 1619-27.				9-27.	

Examiner Signature:

Date Considered:



**SHEET 2 OF 11** 

### SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

Complete if Known		
Application Number	10/585,841	
Filing Date	July 12, 2006	
First Named Inventor	C.S. Thummel	
Group Art Unit	1635	
Examiner Name	Unassigned	

(Use as ma	(Use as many sheets as necessary)		Group Art Unit	1635
L			Examiner Name	Unassigned
	B11.	Barker JL, McBurney RN. (1979) Phenobarbitone modulation of postsynaptic GABA receptor function on cultured mammalian neurons. Proc. R. Soc. Lond. B Biol. Sci., 206(1164): 319-27.		
	B12.	Benzer S. (1973) Geneti	c dissection of behavior. Sci.	Am., 229(6): 24-37.
	B13.	Berman BP, Nibu Y, Pfeiffer BD, Tomancak P, Celniker SE, Levine M, Rubin GM, Eisen MB.(2002) Exploiting transcription factor binding site clustering to identify cis-regulatory modules involved in pattern formation in the Drosophila genome. Proc. Natl. Acad .Sci. USA, 99(2): 757-62.		
	B14.	Blumberg B, Sabbagh W Jr, Juguilon H, Bolado J Jr, van Meter CM, Ong ES, Evans RM. (1998) SXR, a novel steroid and xenobiotic-sensing nuclear receptor. Genes Dev., 12(20): 3195-205.		
	B15.	Boyd L, O'Toole E, Thummel CS. (1991) Patterns of E74A RNA and protein expression at the onset of metamorphosis in Drosophila. Development, 112(4): 981-95.		- 1
	B16.	Brummelkamp TR, Bernards R, Agami R. (2002) A system for stable expression of short interfering RNAs in mammalian cells. Science, 296(5567): 550-53.		· .
	B17.	Brun A, Cuany A, Le Mouel T, Berge J, Amichot M. (1996) Inducibility of the Drosophila melanogaster cytochrome P450 gene, CYP6A2, by phenobarbital in insecticide susceptible or resistant strains. Insect Biochem Mol. Biol., 26(7): 697-703.		CYP6A2, by
	B18.	Carrara G, Calandra P, Fruscoloni P, Tocchini-Valentini GP (1995) Two helices plus a linker: a small model substrate for eukaryotic RNase P. Pro Natl. Acad. Sci. USA, 92(7): 2627-31.		
	B19.	Carter P, Presta L, Gorman CM, Ridgway JB, Henner D, Wong WL, Rowland AM, Kotts C, Carver ME, Shepard HM. (1992) Humanization of anti-p185HER2 antibody for human cancer therapy. Proc. Natl. Acad. Sci USA, 89(10): 4285-289.		92) Humanization of an
	B20.	Chothia C, Lesk AM. (1987) Canonical structures for the hypervariable regions of immunoglobulins. J. Mol. Biol., 196(4): 901-17.		¥ -
	B21.	Daborn P, Boundy S, Yen J, Pittendrigh B, French-Constant R. (2001) DD7 resistance in Drosophila correlates with Cyp6g1 over-expression and conferences-resistance to the neonicotinoid imidacloprid. Mol. Genet. Genomics, 266(4): 556-63.		expression and confers

Examiner Signature:

Date Considered:



**SHEET 3 OF 11** 

### SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT LIST**

Complete if Known	
Application Number	10/585,841
Filing Date	July 12, 2006
First Named Inventor	C.S. Thummel
Group Art Unit	1635
Examiner Name	Unassigned

(Use as many sh	eets as necessary)	Group Art Unit	1635
	· ·		Unassigned
B22.	Daborn PJ, Yen JL, Bogwitz MR, Le Goff G, Feil E, Jeffers S, Tijet N, Perry T, Heckel D, Batterham P, Feyereisen R, Wilson TG, French-Constant RH. (2002) A single p450 allele associated with insecticide resistance in Drosophila. Science, 297(5590): 2253-256.		
B23.	Danielson PB, MacIntyre RJ, Fogleman JC. (1997) Molecular cloning of a family of xenobiotic-inducible drosophilid cytochrome p450s: evidence for involvement in host-plant allelochemical resistance. Proc. Natl. Acad. Sci. USA, 94(20): 10797-802.		
B24.	Danielson PB, Foster JL, McMahill MM, Smith MK, Fogleman JC. (1998) Induction by alkaloids and phenobarbital of Family 4 Cytochrome P450s in Drosophila: evidence for involvement in host plant utilization. Mol. Gen. Genet., 259(1):54-9.		
B25.	Dinan L, Whiting P, Girault JP, Lafont R, Dhadialla TS, Cress DE, Mugat B, Antoniewski C, Lepesant JA. (1997) Cucurbitacins are insect steroid hormone antagonists acting at the ecdysteroid receptor. Biochem J., 327 (Pt 3): 643-50.		
B26.	Dunkov BC, Guzov VM, Mocelin G, Shotkoski F, Brun A, Amichot M, Ffrench-Constant RH, Feyereisen R. (1997) The Drosophila cytochrome P450 gene Cyp6a2: structure, localization, heterologous expression, and induction by phenobarbital. DNA Cell. Biol., 16(11): 1345-56.		sophila cytochrome ous expression, and
B27.		(1991) Chemically modified ngewandte Chemie-Int'l. Ed.	
B28.	receptor evolution. Bioe		
B29.	Finley KD, Edeen PT, Foss M, Gross E, Ghbeish N, Palmer RH, Taylor BJ, McKeown M. (1998) Dissatisfaction encodes a tailless-like nuclear receptor expressed in a subset of CNS neurons controlling Drosophila sexual behavior. Neuron, 21(6): 1363-74.		ss-like nuclear receptor osophila sexual
B30.	Fisk GJ, Thummel CS. (1995) Isolation, regulation, and DNA-binding properties of three Drosophila nuclear hormone receptor superfamily members. Proc. Natl. Acad. Sci. USA, 92(23): 10604-608.  Fogleman JC. (2000) Response of Drosophila melanogaster to selection for		otor superfamily -608.
B31.			

Examiner Signature:

Date Considered:



**SHEET 4 OF 11** 

## SUPPLEMENTAL INFORMATION Filing DISCLOSURE STATEMENT LIST First

Complete if Known		
	Application Number	10/585,841
	Filing Date	July 12, 2006
	First Named Inventor	C.S. Thummel
	Group Art Unit	1635
	Examiner Name	Unassigned

(Use as many sheets as necessary)		Group Art Unit	1635
			Unassigned
B32.	Forster AC, Altman S. (1990) Similar cage-shaped structures for the RNA components of all ribonuclease P and ribonuclease MRP enzymes. Cell, 62(3): 407-9		
B33.		Picard F, Auwerx J. (2003) Nu Annu. Rev. Physiol., 65: 261-	-
B34.	Girardot F, Monnier V, Tricoire H. (2004) Genome wide analysis of common and specific stress responses in adult drosophila melanogaster. BMC Genomics, 5(1): 74.		
B35.	Grant R. (2002) Simple	solid dose bioassay for insect er). Bull. Environ. Contam. T	<del>-</del>
B36.	Gronemeyer H. (1992) Control of transcription activation by steroid hormor receptors. FASEB J., 6(8): 2524-529.		tion by steroid hormone
B37.	Hannon GJ. (2002) RNA	A interference. Nature, 418(68	394): 244-51.
B38.	Harding HP, Lazar MA. (1993) The orphan receptor Rev-ErbA alpha activates transcription via a novel response element. Mol. Cell. Biol., 13(5): 3113-21.		-
B39.	Henrich VC, Sliter TJ, Lubahn DB, MacIntyre A, Gilbert LI. (1990) A steroid/thyroid hormone receptor superfamily member in Drosophila melanogaster that shares extensive sequence similarity with a mammalian homologue. Nucleic Acids Res., 18(14): 4143-48.		r in Drosophila
B40.	Horner MA, Chen T, Thummel CS. (1995) Ecdysteroid regulation and DN binding properties of Drosophila nuclear hormone receptor superfamily members. Dev. Biol., 168(2): 490-502.		•
B41.	Hu X, Lazar MA. (2000) Transcriptional repression by nuclear hormone receptors. Trends Endocrinol. Metab., 11(1): 6-10.		y nuclear hormone
B42.	Jaeger JA, Turner DH, Zuker M. (1990) Predicting optimal and suboptimal secondary structure for RNA. Methods Enzymol., 183: 281-306.		-
B43.	Jaeger JA, Turner DH, Zuker M. (1989) Improved predictions of secondary structures for RNA. Proc. Natl. Acad .Sci. USA, 86(20): 7706-10.  Jones SA, Moore LB, Shenk JL, Wisely GB, Hamilton GA, McKee DD, Tomkinson NC, LeCluyse EL, Lambert MH, Willson TM, Kliewer SA, Moore JT. (2000) The pregnane X receptor: a promiscuous xenobiotic receptor that has diverged during evolution. Mol. Endocrinol., 14(1): 27-39.		
B44.			TM, Kliewer SA, cuous xenobiotic

Examiner Signature:

Date Considered:



**SHEET 5 OF 11** 

### SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

Complete if Known		
Application Number	10/585,841	
Filing Date	July 12, 2006	
First Named Inventor	C.S. Thummel	
Group Art Unit	1635	
Examiner Name	Unassigned	

(Use as many s	heets as necessary)	Group Art Unit	1635
		Examiner Name	Unassigned
B45.	Jones PT, Dear PH, Foote J, Neuberger MS, Winter G. (1986) Replacing the complementarity-determining regions in a human antibody with those from a mouse. Nature, 321(6069): 522-25.		
B46.		l CS. (2003) Drosophila nucle ling, Vol. 3, (Bradshaw R, De ork, pp. 69-73	
B47.	1	King-Jones K, Horner MA, Lam G, Thummel CS. (2006) The DHR96 nuclear receptor regulates xenobiotic responses in Drosophila. Cell Metab.,	
B48.	1	B, Willson TM. (2002) The nur of xenobiotic metabolism. Ex	
B49.		nuclear pregnane X receptor 133(7 Suppl): 2444S-2447S.	regulates xenobiotic
B50.	Koelle MR, Talbot WS, Segraves WA, Bender MT, Cherbas P, Hogness DS. (1991) The Drosophila EcR gene encodes an ecdysone receptor, a new member of the steroid receptor superfamily. Cell, 67(1): 59-77.		
B51.	Koelle MR, Segraves WA, Hogness DS. (1992) DHR3: a Drosophila steroid receptor homolog. Proc. Natl. Acad. Sci. USA, 89(13): 6167-71.		3: a Drosophila steroid
B52.	Kozlova T, Thummel CS. (2002) Spatial patterns of ecdysteroid receptor activation during the onset of Drosophila metamorphosis. Development, 129(7): 1739-50.		
B53.	Kozlova T, Thummel CS. (2003) Methods to characterize Drosophila nuclear receptor activation and function in vivo, In: Methods in Enzymology. Nuclear Receptors, Vol. 364 (Russell, D.W., and Mangelsdorf, D.J., eds.), Academic Press, New York, pp. 475-490.).		in Enzymology.
B54.	Kunkel TA, Roberts JD, Zakour RA. (1987) Rapid and efficient site-specific mutagenesis without phenotypic selection. Methods Enzymol., 154: 367-82.		
B55.	Landis GN, Abdueva D, Skvortsov D, Yang J, Rabin BE, Carrick J, Tavaré S, Tower J. (2004) Similar gene expression patterns characterize aging and oxidative stress in Drosophila melanogaster. Proc. Natl. Acad. Sci. USA, 101(20): 7663-68.		haracterize aging and
B56.	Lavorgna G, Ueda H, Clos J, Wu C. (1991) FTZ-F1, a steroid hormone receptor-like protein implicated in the activation of fushi tarazu. Science, 252(5007): 848-51.		

Examiner Signature:

Date Considered:



SHEET 6 OF 11

# SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST Application Number 10/585, Filing Date July 12 First Named Inventor C.S. Th

Complete if Known		
Application Number		10/585,841
Filing Date First Named Inventor Group Art Unit		July 12, 2006
		C.S. Thummel
		1635
	Examiner Name	Unassigned

	First Named Inventor	C.S. Thurminer		
(Use as many sheets as necessary)		Group Art Unit	1635	
		Examiner Name	Unassigned	
B57.		Lehmann M, Korge G. (1995) Ecdysone regulation of the Drosophila Sgs-4 gene is mediated by the synergistic action of ecdysone receptor and SEBP 3. EMBO I. 14(4): 716-26		
B58.	concept of spacer skelet	Lewis RA, Dean PM. (1989) Automated site-directed drug design: the concept of spacer skeletons for primary structure generation. Proc. R. Soc. Lond. B. Biol. Sci., 236(1283): 125-40.		
B59.	,	968) Method of feeding ethyl ales. Dros. Inf. Serv., 43: 193.		
B60.	expression index compu USA, 98(1): 31-6.	Li C, Wong WH. (2001) Model-based analysis of oligonucleotide arrays: expression index computation and outlier detection. Proc. Natl. Acad. Sci.		
B61.	receptor contributes to x	J, Sluder AE. (2001) A C. ele tenobiotic resistance. Curr. Bi	ol., 11(11): 864-8.	
B62.	Maglich JM, Stoltz CM, Goodwin B, Hawkins-Brown D, Moore JT, Kliewer SA. (2002) Nuclear pregnane x receptor and constitutive androstane receptor regulate overlapping but distinct sets of genes involved in xenobiotic detoxification. Mol. Pharmacol., 62(3): 638-46			
B63.	Makishima M, Lu TT, Xie W, Whitfield GK, Domoto H, Evans RM, Haussler MR, Mangelsdorf DJ. (2002) Vitamin D receptor as an intestinal bile acid sensor. Science, 296(5571):1313-16.			
B64.	Mangelsdorf DJ, Thummel C, Beato M, Herrlich P, Schütz G, Umesono K, Blumberg B, Kastner P, Mark M, Chambon P, Evans RM. (1995) The nuclear receptor superfamily: the second decade. Cell, 83(6): 835-39.			
B65.	Maurel, P. (1996). Cytochromes P450: Metabolic and Toxicological aspects. In Cytochromes P450: Metabolic and Toxiological Aspects, C. Ioannnides, ed. (Boca Raton, CRC Press), pp. 241-270.			
B66.	McKinlay MA, Rossmann MG. (1989) Rational design of antiviral agents.  Annu. Rev. Pharmacol. Toxicol., 29: 111-22.			
B67.	Mlodzik M, Hiromi Y, Weber U, Goodman CS, Rubin GM. (1990) The Drosophila seven-up gene, a member of the steroid receptor gene superfamily, controls photoreceptor cell fates. Cell, 60(2): 211-24.			
B68.	Nielsen PE, Egholm M, Berg RH, Buchardt O. (1991) Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide. Science, 254(5037): 1497-500.			

Examiner Signature:

Date Considered:



**SHEET 7 OF 11** 

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	10/585,841		
Filing Date	July 12, 2006		
First Named Inventor	C.S. Thummel		
Group Art Unit	1635		
Examiner Name	Unassigned		

		Examiner Name	Unassigned	
B69.	Nuclear Receptors Committee (1999), A Unified Nomenclature System for the Nuclear Receptor Subfamily, Cell 97(2): 161-63.			
B70.		Sutherland TD, Russell RJ. (2		
B71.	Ohno CK, Petkovich M.	. (1993) FTZ-F1 beta, a nove ptor family. Mech. Dev., 40(		
B72.	1	Evans RM. (1990) Relationsloiracle locus and the vertebra 301.	1	
B73.		Pak MD, Gilbert LI. (1987). Developmental analysis of ecdysteroids during the metamorphosis of. Drosophila melanogaster. <i>J. Liq. Chrom.</i> 10, 2591-		
B74.	Palladino MJ, Hadley TJ, Ganetzky B. (2002) Temperature-sensitive paralytic mutants are enriched for those causing neurodegeneration in Drosophila. Genetics, 161(3): 1197-208			
B75.	Paul CP, Good PD, Winer I, Engelke DR. (2002) Effective expression of small interfering RNA in human cells. Nat. Biotechnol., 20(5): 505-8.			
B76.	Pearson WR, Lipman DJ. (1988) Improved tools for biological sequence comparison. Proc. Natl. Acad. Sci. USA, 85(8): 2444-8.			
B77.	Perry and Davies. QSAR: Quantitative Structure-Activity Relationships in Drug Design, Proceedings of the 7th European Symposium on OSAR held in Interlaken, Switzerland, Sep. 5-9, 1998, pp. 189-193 (Alan R. Liss, Inc. 1989).			
B78.	Pignoni F, Baldarelli RM, Steingrímsson E, Diaz RJ, Patapoutian A, Merriam JR, Lengyel JA. (1990) The Drosophila gene tailless is expressed at the embryonic termini and is a member of the steroid receptor superfamily. Cell, 62(1): 151-63.			
B79.	Presta LG, Lahr SJ, Shields RL, Porter JP, Gorman CM, Fendly BM, Jardieu PM. (1993) Humanization of an antibody directed against IgE. J. Immunol., 151(5): 2623-632.			
B80.	Biol., 13(4): 519-25.	ly engineering for therapeuti		
B81.	MV, Unger MF, Collins	C, Ortelli F, Abgrall C, Hemin FH, Feyereisen R. (2002) Evinsecticide resistance. Science	volution of supergene	

Examiner Signature:

Date Considered:



**SHEET 8 OF 11** 

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	10/585,841		
Filing Date	July 12, 2006		
First Named Inventor	C.S. Thummel		
Group Art Unit	1635		
Examiner Name	Unassigned		

(Use as many sheets as necessary)		Group Art Ont	1055	
		Examiner Name	Unassigned	
B82.	Richards G. (1981) The radioimmune assay of ecdysteroid titres in			
	Drosophila melanogaster. Mol. Cell. Endocrinol., 21(3): 181-97.			
B83.		tching partners? Curr. Biol., 2		
B84.	molecular basis of the he Manduca sexta and Dros 33(12): 1327-38.	Riddiford LM, Hiruma K, Zhou X, Nelson CA. (2003) Insights into the molecular basis of the hormonal control of molting and metamorphosis from Manduca sexta and Drosophila melanogaster. Insect Biochem. Mol. Biol., 33(12): 1327-38.		
B85.	1 '	Waldmann H, Winter G. (198 Nature, 332(6162): 323-27.	88) Reshaping human	
B86.	Ripka, Computers Picture the Perfect Drug. New Scientist 54-57 (June 16, 1988).			
B87.	Robinson-Rechavi M, Laudet V. (2003) Bioinformatics of nuclear receptors. Methods Enzymol., 364: 95-118.			
B88.	Robinson-Rechavi M, Carpentier AS, Duffraisse M, Laudet V. (2001) How many nuclear hormone receptors are there in the human genome? Trends Genet., 17(10): 554-56			
B89.	Robinson-Rechavi M, Escriva Garcia H, Laudet V. (2003) The nuclear receptor superfamily. J. Cell. Sci., 116(Pt 4): 585-86.			
B90.	Rong YS, Golic KG. (2000) Gene targeting by homologous recombination in Drosophila. Science, 288(5473): 2013-8.			
B91.	Rong YS, Titen SW, Xie HB, Golic MM, Bastiani M, Bandyopadhyay P, Olivera BM, Brodsky M, Rubin GM, Golic KG. (2002) Targeted mutagenesis by homologous recombination in D. melanogaster. Genes Dev., 16(12): 1568-81.			
B92.	Rouvinen J, Gynther J, Konschin H, Tylli H. (1988) Computer-Aided Drug Design. Acta Pharm. Fenn., 97(4): 159-166.			
B93.	Rubin GM, Spradling AC. (1983) Vectors for P element-mediated gene transfer in Drosophila. Nucleic Acids Res., 11(18): 6341-51.			
B94.	Segraves WA, Hogness DS. (1990)The E75 ecdysone-inducible gene responsible for the 75B early puff in Drosophila encodes two new members of the steroid receptor superfamily. Genes Dev., 4(2): 204-19.			

Examiner Signature:

Date Considered:



**SHEET 9 OF 11** 

### Complete if Known 10/585,841 **Application Number** SUPPLEMENTAL INFORMATION July 12, 2006 Filing Date DISCLOSURE STATEMENT LIST First Named Inventor C.S. Thummel 1635 Group Art Unit (Use as many sheets as necessary) **Examiner Name** Unassigned Shea MJ, King DL, Conboy MJ, Mariani BD, Kafatos FC. (1990) Proteins that bind to Drosophila chorion cis-regulatory elements: a new C2H2 zinc B95. finger protein and a C2C2 steroid receptor-like component. Genes Dev., 4(7): Shostak Y. Van Gilst MR. Antehi A. Yamamoto KR. (2004) Identification of

		Shostak Y, Van Gilst MR, Antebi A, Yamamoto KR. (2004) Identification of
	B96.	C. elegans DAF-12-binding sites, response elements, and target genes. Genes
		Dev., 18(20): 2529-44.
		Sims MJ, Hassal DG, Brett S, Rowan W, Lockyer MJ, Angel A, Lewis AP,
	B97.	Hale G, Waldmann H, Crowe JS.(1993) A humanized CD18 antibody can
		block function without cell destruction. J. Immunol., 151(4): 2296-308.
		Sluder AE, Mathews SW, Hough D, Yin VP, Maina CV. (1999) The nuclear
	B98.	receptor superfamily has undergone extensive proliferation and
		diversification in nematodes. Genome Res., 9(2): 103-20.
	DOO	Smith TF, Waterman MS. (1981) Comparison of biosequences. Adv. Appl.
	B99.	Math., 2: 482-89.
		Stone BL, Thummel CS. (1993) The Drosophila 78C early late puff contains
	B100.	E78, an ecdysone-inducible gene that encodes a novel member of the nuclear
		hormone receptor superfamily. Cell, 75(2): 307-20.
	D101	Stunnenberg HG. (1993) Mechanisms of transactivation by retinoic acid
B101.		receptors. Bioessays, 15(5): 309-15.
		Sueyoshi T, Negishi M. (2001) Phenobarbital response elements of
	B102.	cytochrome P450 genes and nuclear receptors. Annu. Rev. Pharmacol.
		Toxicol, 41: 123-43.
		Swevers L, Iatrou K. (2003) The ecdysone regulatory cascade and ovarian
	B103.	development in lepidopteran insects: insights from the silkmoth paradigm.
		Insect Biochem. Mol. Biol., 33(12): 1285-97.
		Thomas HE, Stunnenberg HG, Stewart AF. (1993) Heterodimerization of the
	B104.	Drosophila ecdysone receptor with retinoid X receptor and ultraspiracle.
		Nature, 362(6419): 471-75.
	B105.	Thummel C, Pirrotta V. (1992) Technical notes: new pCasper P element
	נטום.	vectors. Dros. Info. Services 71:150.
	D106	Thummel CS, Burtis KC, Hogness DS. (1990) Spatial and temporal patterns
	B106.	of E74 transcription during Drosophila development. Cell, 61(1): 101-11.

Examiner Signature:

Date Considered:



**SHEET 10 OF 11** 

### SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT LIST**

Complete if Known			
Application Number	10/585,841		
Filing Date	July 12, 2006		
First Named Inventor	C.S. Thummel		
Group Art Unit	1635		
Examiner Name	Unassigned		

(Use as many sh	(Use as many sheets as necessary)		1635
		Examiner Name	Unassigned
B107.	Thummel CS. (1995) From embryogenesis to metamorphosis: the regulation and function of Drosophila nuclear receptor superfamily members. Cell, 83(6):871-7.		
B108.	_	rf DJ. (2003) Liver X receptor Mol. Endocrinol., 17(6): 985-	
B109.	Urness LD, Thummel CS. (1995) Molecular analysis of a steroid-induced regulatory hierarchy: the Drosophila E74A protein directly regulates L71-6 transcription. EMBO J., 14(24): 6239-46.		
B110.	Verhoeyen M, Milstein C, Winter G. (1988) Reshaping human antibodies: grafting an antilysozyme activity. Science, 239(4847): 1534-36.		
B111.	von Kalm L, Crossgrove K, Von Seggern D, Guild GM, Beckendorf SK. (1994) The Broad-Complex directly controls a tissue-specific response to the steroid hormone ecdysone at the onset of Drosophila metamorphosis. EMBO J., 13(15): 3505-16.		
B112.	Weinmann AS, Farnham PJ. (2002) Identification of unknown target genes of human transcription factors using chromatin immunoprecipitation.  Methods, 26(1): 37-47.		
B113.	Weller J, Sun GC, Zhou B, Lan Q, Hiruma K, Riddiford LM. (2001) Isolation and developmental expression of two nuclear receptors, MHR4 and betaFTZ-F1, in the tobacco hornworm, <i>Manduca sexta</i> . Insect Biochem. Mol. Biol., 31(8): 827-37.		
B114.	Wilson TE, Fahrner TJ, Milbrandt J. (1993) The orphan receptors NGFI-B and steroidogenic factor 1 establish monomer binding as a third paradigm of nuclear receptor-DNA interaction. Mol. Cell. Biol., 13(9): 5794-804		
B115.	Wilson TG. (2001). Resistance of Drosophila to toxins. Annu. Rev. Entomol., 46: 545-571.		
B116.	Woodard CT, Baehrecke EH, Thummel CS. (1994) A molecular mechanism for the stage specificity of the Drosophila prepupal genetic response to ecdysone. Cell, 79(4): 607-15.		
B117.	Yao TP, Segraves WA, Oro AE, McKeown M, Evans RM. (1992) Drosophila ultraspiracle modulates ecdysone receptor function via heterodimer formation. Cell, 71(1): 63-72		

Examiner Signature:

Date Considered:



**SHEET 11 OF 11** 

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	10/585,841		
Filing Date	July 12, 2006		
First Named Inventor	C.S. Thummel		
Group Art Unit	1635		
Examiner Name	Unassigned		

			Examiner Name	Unassigned
В	3118.	Yao TP, Forman BM, Jiang Z, Cherbas L, Chen JD, McKeown M, Cherbas P, Evans RM. (1993) Functional ecdysone receptor is the product of EcR and Ultraspiracle genes. Nature, 366(6454): 476-479		
В	3119.	Yuan Y, Altman S. (1995) Substrate recognition by human RNase P: identification of small, model substrates for the enzyme. EMBO J., 14(1): 159-68.		
В	120.		man S. (1992) Targeted clea Vatl. Acad. Sci. USA, 89(17)	_
В	121.	Drosophila homolog to t	Parnell JE Jr. (1993) The exp the mouse transcription factors formation. EMBO J., 12(2)	or HNF-4 suggests a
В	122.	Zhou C, Tabb MM, Sadactivate the steroid and	atrafiei A, Grün F, Blumber kenobiotic receptor, SXR, and kenes. 1: Drug Metab. Dispo	g B. (2004) Tocotrienols and selectively regulate
В	123.	Yanchunas J, Xie D, Sto	Lin JH, Bell A, Bryson J, Doffel R, Sinz M, Dickinson K ne X receptor (PXR) transac n, 9(6): 533-40.	K. (2004) Correlation of
В	124.	Zuker M. (1989) On find Science, 244(4900): 48-	ling all suboptimal foldings 52.	of an RNA molecule.

Examiner Signature:

Date Considered: